

SOL-GEL SCIENCE

The Physics and Chemistry of
Sol-Gel Processing

C. Jeffrey Brinker

*Sandia National Laboratories
Albuquerque, New Mexico*

George W. Scherer

*E. I. du Pont de Nemours & Company
Wilmington, Delaware*



Academic Press
San Diego New York Boston
London Sydney Tokyo Toronto

1.

SOL-GEL PROCESSING

A *colloid* is a suspension in which the dispersed phase is so small ($\sim 1\text{--}1000\text{ nm}$) that gravitational forces are negligible and interactions are dominated by short-range forces, such as van der Waals attraction and surface charges. The inertia of the dispersed phase is small enough that it exhibits *Brownian motion* (or *Brownian diffusion*), a random walk driven by momentum imparted by collisions with molecules of the suspending medium. A *sol* is a colloidal suspension of solid particles in a liquid. An *aerosol* is a colloidal suspension of particles in a gas (the suspension may be called a *fog* if the particles are liquid and a *smoke* if they are solid) and an *emulsion* is a suspension of liquid droplets in another liquid. All of these types of colloids can be used to generate polymers or particles from which ceramic materials can be made. A *ceramic* is usually defined by saying what it is *not*: it is nonmetallic and inorganic; some would also say it is not a chalcogenide. We thus include all metal oxides, nitrides, and carbides, both crystalline and noncrystalline. In the sol-gel process, the *precursors* (starting compounds) for preparation of a colloid consist of a metal or metalloid element surrounded by various *ligands* (appendages *not* including another metal or metalloid atom). For example, common precursors for aluminum oxide include *inorganic* (containing no carbon) salts such as $\text{Al}(\text{NO}_3)_3$ and *organic* compounds such as $\text{Al}(\text{OC}_4\text{H}_9)_3$. The latter is an example of an *alkoxide*, the class of precursors most widely used in sol-gel research. An *alkane* is a molecule containing only carbon and hydrogen linked exclusively by single bonds, as in *methane* (CH_4) and *ethane* (C_2H_6); the general formula is $\text{C}_n\text{H}_{2n+2}$. An *alkyl* is a ligand formed by removing one hydrogen (proton) from an alkane molecule producing, for example, *methyl* ($\bullet\text{CH}_3$) or *ethyl* ($\bullet\text{C}_2\text{H}_5$) (where the dot \bullet indicates an electron that is available to form a bond). An *alcohol* is a molecule formed by adding a *hydroxyl* (OH) group to an alkyl (or other) molecule, as in *methanol* (CH_3OH) or *ethanol* ($\text{C}_2\text{H}_5\text{OH}$). An *alkoxy* is a ligand formed by removing a proton from the hydroxyl on an alcohol, as in *methoxy* ($\bullet\text{OCH}_3$) or *ethoxy* ($\bullet\text{OC}_2\text{H}_5$). A list of the most commonly used alkoxy ligands is presented in Table 1.

Metal alkoxides are members of the family of *metalorganic* compounds, which have an organic ligand attached to a metal or metalloid atom. The most thoroughly studied example is silicon tetraethoxide (or tetraethoxysilane, or tetraethyl orthosilicate, TEOS), $\text{Si}(\text{OC}_2\text{H}_5)_4$. *Organometallic* compounds are defined as having direct metal-carbon bonds, not metal-oxygen-carbon linkages as in metal alkoxides; thus, alkoxides are not organometallic compounds, although that usage turns up frequently in the

CALIFORNIA ALL-PURPOSE ACKNOWLEDGMENT


State of California

County of Santa Clara } ss.

On Aug 11, 2003, before me, Anca Ruhlen, Notary Public,
Date Name and Title of Officer (e.g., "Jane Doe (Notary Public)")

personally appeared Richard N. Zare, Maria T. Dula, Joseito T. Quirino and Bayson D. Bennett
Name(s) of Signer(s)

☐ personally known to me
☒ proved to me on the basis of satisfactory evidence



to be the person(s) whose name(s) ~~is~~ are subscribed to the within instrument and acknowledged to me that ~~he~~ ~~she~~ they executed the same in ~~his~~ ~~her~~ their authorized capacity(ies), and that by ~~his~~ ~~her~~ their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

WITNESS my hand and official seal.

Anca Ruhlen
Signature of Notary Public

Place Notary Seal Above

OPTIONAL

Though the information below is not required by law, it may prove valuable to persons relying on the document and could prevent fraudulent removal and reattachment of this form to another document.

Description of Attached Document

Title or Type of Document: _____

Document Date: _____ Number of Pages: _____

Signer(s) Other Than Named Above: _____

Capacity(ies) Claimed by Signer

Signer's Name: _____

- ☐ Individual
☐ Corporate Officer — Title(s): _____
☐ Partner — ☐ Limited ☐ General
☐ Attorney in Fact
☐ Trustee
☐ Guardian or Conservator
☐ Other: _____

Signer Is Representing: _____

RIGHT THUMBPRINT
OF SIGNER
Top of thumb here.